CAMERA BODIES



818.795.6846 redtoothimagery.com

EQUIPMENT	рното	DETAILS
Sony a7R III		 INCLUDES: 42MP Full-Frame Exmor R BSI CMOS Sensor BIONZ X Image Processor & Front-End LSI 399-Point AF System & 10 fps Shooting UHD 4K30p Video with HLG & S-Log3 Gammas 3.69m-Dot Tru-Finder OLED EVF 3.0" 1.44m-Dot Tilting Touchscreen LCD 5-Axis SteadyShot INSIDE Stabilization ISO 102400 & Pixel Shift Multi Shooting Built-In Wi-Fi/Bluetooth, Dual SD Slots USB 3.1 Gen 1 Type-C Port & PC Sync Port
Sony a7R II	BONA	 INCLUDES: 12.2MP Full-Frame Exmor CMOS Sensor BIONZ X Image Processor Internal UHD 4K30 & 1080p120 Recording S-Log3 Gamma and Display Assist Function 5-Axis SteadyShot INSIDE Stabilization 0.5" 2.36M-Dot XGA OLED Tru-Finder EVF 3.0" 1,228.8k-Dot Tilting LCD Monitor Up to 5 fps Shooting and ISO 409600 Built-In Wi-Fi Connectivity with NFC 4TB USB 3.0 Portable Hard Drive
Tilta ES-T17 Handheld Camera Cage Rig for Sony a7 & a7 II Camera		 INCLUDES: Fits a7, a7R, a7S, a7 II, a7S II, a7R II Form-Fitted Armor Cage Arri Rosette for Optional Handgrip Unobstructed SD Card and Battery Access Orientable Top Handle Micro-HDMI to HDMI Adapter Cable & Mount Quick Release from Rod Support 2 x 12" Long 15mm Rods EF and PL Mount Adapter Supports
Canon EOS-1DX Mark II	Canon R R R R R R R R R	 INCLUDES: 20.2MP Full-Frame CMOS Sensor Dual DIGIC 6+ Image Processors 3.2" 1.62m-Dot Touchscreen LCD Monitor DCI 4K Video at 60 fps, 8.8MP Still Grab 61-Point High Density Reticular AF II Native ISO 51200, Expanded to ISO 409600 14 fps Shooting, 16 fps in Live View Dual Pixel CMOS AF and Movie Servo AF Built-In GPS, CFast & CF Card Slots

1

CAMERA BODIES



EQUIPMENT	рното	DETAILS
Canon 5D MK IV	Санот	 INCLUDES: 30.4MP Full-Frame CMOS Sensor DIGIC 6+ Image Processor 3.2" 1.62m-Dot Touchscreen LCD Monitor DCI 4K Video at 30 fps; 8.8MP Still Grab 61-Point High Density Reticular AF Native ISO 32000, Expanded to ISO 102400 Dual Pixel RAW; AF Area Select Button Dual Pixel CMOS AF and Movie Servo AF 7 fps Shooting; CF & SD Card Slots Built-In GPS and Wi-Fi with NFC
Canon EOS-5D Mark III	Callon	 INCLUDES: 22.3 MP Full-Frame CMOS Sensor DIGIC 5+ Image Processor 3.2" 1.04m-Dot ClearView II LCD Monitor Full HD 1080p Video Recording at 30 fps 61-Point High Density Reticular AF Native ISO 25600, Extended to ISO 102400 6 fps Shooting in RAW+JPEG 63-Zone Dual Layer Metering Sensor Magnesium Alloy Body, SD/CF Card Slots EF 24-105mm f/4L IS USM Lens
PhaseOne XF Camera System		INCLUDES: • XF Camera System, body only
DJI Mavic Pro Platinum		 INCLUDES: Integrated 12MP 4K Camera 3-Axis Gimbal Stabilizes Camera 4 dB Quieter Than Mavic Pro GPS- & Vision Position-Based Navigation DJI GO App-Based Control and Monitoring Top Speed of 40 mph in Sport Mode Up to 30 Minutes Flight Time Tap- and Gesture-Based Commands Three Total Batteries / Charging Hub Mavic Shoulder Bag

CAMERA KITS



EQUIPMENT	РНОТО	DETAILS
Sony a7R III		INCLUDES: • a7R III • Zeiss Batis 85 mm • Zeiss Batis 18 mm • Sony GM 70-200 mm • Sony GM 24-70 mm • Tether cord + 15' ext. • Tether lock • Color target • 4 batteries • 2 chargers • Battery grip • 2 64GB SD cards • Card reader
Sony a7R II		INCLUDES: • a7R II • Zeiss Batis 85 mm • Zeiss Batis 18 mm • Sony GM 70-200 mm • Sony GM 24-70 mm • Tether cord + 15' ext. • Tether lock • Color target • 4 batteries • 2 chargers • Battery grip • 2 64GB SD cards • Card reader
Canon EOS-1DX Mark II	Callou Colo X	INCLUDES: • Canon 1DX MK II • Canon, 35mm f/1.4L • Canon 50mm f/1.2L • Canon 85mm f/1.2L II • Canon 24-70mm f/2.8L II • Canon 70-200mm f/2.8L II • tether cord + 15' ext • Tether lock • Color target • 4 batteries • 2 chargers • Battery grip • 2 64GB SD cards • Card reader





EQUIPMENT	РНОТО	DETAILS
Canon 5D MK IV	Canon	INCLUDES: • Canon 5D MK IV • Canon 35 mm f/1.4L • Canon 50 mm f/1.2L • Canon 85 mm f/1.2L II • Canon 24-70 mm f/2.8L II • Canon 70-200 mm f/2.8L II • Tether cord + 15' ext. • Tether lock • Color target • 4 batteries • 2 chargers • Battery grip • 2 64GB CF cards • Card reader
Canon 5D MK III	Caron	INCLUDES: • Canon 5D MK III • Canon 35 mm f/1.4L • Canon 50 mm f/1.2L • Canon 85 mm f/1.2L II • Canon 24-70 mm f/2.8L II • Canon 70-200 mm f/2.8L II • Tether cord + 15' ext. • Tether lock • Color target • 4 batteries • 2 chargers • Battery grip • 2 64GB CF cards • Card reader
Canon 5D MK II	Canon 50 50 70 70 70 70 70 70 70 70 70 70 70 70 70	INCLUDES: • Canon 5D MK II • Canon 35 mm f/1.4L • Canon 50 mm f/1.2L • Canon 85 mm f/1.2L II • Canon 24-70 mm f/2.8L II • Canon 70-200 mm f/2.8L II • Tether cord + 15' ext. • Tether lock • Color target • 4 batteries • 2 chargers • Battery grip • 2 64GB CF cards • Card reader





EQUIPMENT	РНОТО	DETAILS
XF IQ3 100 Kit with 80 LS BR		 INCLUDES: XF Camera System Schneider Kreuznach 55 mm f/2.8 LS BR Schneider Kreuznach 80 mm f/2.8 LS BR 4 batteries Charging bay Tether cord 2 64GB CF cards



EQUIPMENT	РНОТО	PRICE/DAY	DETAILS
Canon EF 70-200 mm f/2.8L IS II USM Lens		\$40	 INCLUDES: EF-Mount Lens/Full-Frame Format Aperture Range: f/2.8 to f/32 One Fluorite Element & Five UD Elements Super Spectra Coating Ring-Type Ultrasonic Motor AF System Optical Image Stabilizer Internal Focus, Focus Range Limiter Weather-Sealed Construction Detachable, Rotatable Tripod Collar Rounded 8-Blade Diaphragm
Canon EF 24-70 mm f/2.8L II USM Lens		\$40	 INCLUDES: EF-Mount Lens/Full-Frame Format Aperture Range: f/2.8 to f/22 One Super UD Element, Two UD Elements Three Aspherical Elements Super Spectra and Fluorine Coatings Ring-Type Ultrasonic Motor AF System Weather-Sealed Construction Rounded 9-Blade Diaphragm
Canon EF 100 mm f/2.8L Macro IS USM Lens	Materia un y en aller	\$35	 INCLUDES: EF-Mount Lens/Full-Frame Format Aperture Range: f/2.8 to f/32 One Ultra-Low Dispersion Element Super Spectra Coating 1:1 Magnification, 11.8" Min. Focus Ring-Type Ultrasonic Motor AF System Focus Range Limiter Optical Image Stabilizer Weather-Sealed Construction Rounded 9-Blade Diaphragm
Canon EF 85 mm f/1.2L II USM Lens		\$40	 INCLUDES: EF-Mount Lens/Full-Frame Format Aperture Range: f/1.2 to f/16 One Aspherical Element Super Spectra Coating Floating Optical System Ring-Type Ultrasonic Motor AF System Weather-Sealed Construction Rounded 8-Blade Diaphragm



EQUIPMENT	рното	PRICE/DAY	DETAILS
Canon EF 50 mm f/1.2L USM Lens	And the second sec	\$40	 INCLUDES: EF-Mount Lens/Full-Frame Format Aperture Range: f/1.2 to f/16 One Aspherical Element Super Spectra Coating Ring-Type Ultrasonic Motor AF System Weather-Sealed Construction Rounded 8-Blade Diaphragm
Canon EF 35 mm f/1.4L II USM Lens	Contra Tome 3 Some	\$40	 INCLUDES: EF-Mount Lens/Full-Frame Format Aperture Range: f/1.4 to f/22 Blue Spectrum Refractive Optics Element Two Aspherical Elements, One UD Element Subwavelength Coating Ring-Type Ultrasonic Motor AF System Full-Time Manual Focus Override Weather-Sealed Design, Fluorine Coating Rounded 9-Blade Diaphragm
Canon EF 16-35mm f/2.8L III USM Lens	A comparison of the second sec	\$40	 INCLUDES: EF-Mount Lens/Full-Frame Format Aperture Range: f/2.8 to f/22 Three Aspherical and Two UD Elements SWC, Air Sphere, and Fluorine Coatings Ring-Type Ultrasonic Motor AF System Weather-Sealed Construction Rounded 9-Blade Diaphragm
Canon EF 40 mm f/2.8L STM Lens	Canon 5 40mm	\$20	 INCLUDES: EF-Mount Lens/Full-Frame Format Aperture Range: f/2.8 to f/22 One Aspherical Element Super Spectra Coating STM Stepping Motor for Smooth, Silent AF Rounded 7-Blade Diaphragm



EQUIPMENT	рното	PRICE/DAY	DETAILS
Zeiss Batis 2.8/18 E-Mount		\$50	 INCLUDES: E-Mount Lens/Full-Frame Format Aperture Range: f/2.8 to f/22 Distagon Optical Design Four Aspherical Elements Seven Special Glass Elements Floating Elements System ZEISS T* Anti-Reflective Coating OLED Display for Focus Distance and DoF Linear Autofocus Motor Dust and Moisture-Resistant Construction
Zeiss Batis 2/25 E-Mount		\$50	 INCLUDES: E-Mount Lens/Full-Frame Format Aperture Range: f/2 to f/22 Distagon Optical Design Four Double-Sided Aspherical Elements Floating Elements System ZEISS T* Anti-Reflective Coating OLED Display for Focus Distance and DoF Linear Autofocus Motor Dust and Moisture-Resistant Construction
Zeiss Batis 2/85 1.8 E-Mount		\$50	 INCLUDES: E-Mount Lens/Full-Frame Format Aperture Range: f/1.8 to f/22 Sonnar Optical Design Floating Elements System ZEISS T* Anti-Reflective Coating Optical Image Stabilization OLED Display for Focus Distance and DoF Linear Autofocus Motor Dust- and Weather-Sealed Construction
Sony FE 70-200 mm f2.8 GM OSS		\$50	 INCLUDES: E-Mount Lens/Full-Frame Format Aperture Range: f/2.8 to f/22 One XA Element & Two Aspherical Elements Four ED Elements & Two Super ED Elements Nano AR Coating Dual Linear & Super Sonic Wave AF Motors Optical SteadyShot Image Stabilization Focus Hold Buttons; Focus Range Limiter Dust and Moisture-Resistant Construction Eleven-Blade Circular Diaphragm



EQUIPMENT	РНОТО	PRICE/DAY	DETAILS
Sony FE 24-70 mm f2.8 GM	The second se	\$50	 INCLUDES: E-Mount Lens/Full-Frame Format Aperture Range: f/2.8 to f/22 One XA Element & Two Aspherical Elements One ED Element & One Super ED Element Nano AR Coating Direct Drive Super Sonic Wave AF Motor Focus Hold Button; Internal Focus AF/MF Switch; Zoom Lock Switch Dust and Moisture-Resistant Construction Nine-Blade Circular Diaphragm
Schneider Kreuznach 35 mm f2.8 LS		\$75	 INCLUDES: Mamiya 645 AF Mount Aperture Range: f/3.5 to f/32 Construction: 11 Elements / 8 Groups Autofocus with Manual Override Leaf Shutter, 1600 Sec. Flash Sync
Schneider Kreuznach 55 mm f2.8 LS	An and a second se	\$75	 INCLUDES: Mamiya 645 AF Mount 34mm (35mm Equivalent) Aperture Range: f/2.8 to f/32 Autofocus with Manual Override Leaf Shutter, 1/1600 Sec. Flash Sync Construction: 7 Elements / 6 Groups Minimum Focus Distance: 1.5' Front Filter Thread: 72mm
Schneider Kreuznach 80 mm f2.8 LS	An LL A WILLY A A WILLY A	\$75	 INCLUDES: Mamiya 645 AF Mount 50mm (35mm Equivalent) Aperture Range: f/2.8 to f/22 Autofocus with Manual Override Leaf Shutter, 1/1600 Sec. Flash Sync Construction: 6 Elements / 5 Groups Minimum Focus Distance: 2.3' Front Filter Thread: 72mm
Schneider Kreuznach 120 mm f4 LS Macro		\$75	INCLUDES: • Mamiya 645 AF Mount • Aperture Range: f/4 to f/32 • Maximum Magnification Ratio: 1:1 • Minimum Focusing Distance: 1.2' • Construction: 9 Elements / 8 Groups • Autofocus with Manual Override • Leaf Shutter, 1/1600 Sec. Flash Sync





EQUIPMENT	рното	PRICE/DAY	DETAILS
Apple 27" iMac with Retina 5K Display (Mid 2017)		\$250	 INCLUDES: 3.4 GHz Intel Core i5 Quad-Core 8GB of DDR4 RAM 1TB Fusion Drive 27" 5120 x 2880 IPS Retina 5K Display AMD Radeon Pro 570 Graphics Card (4GB) UHS-II SDXC Card Reader Thunderbolt 3 USB 3.0 Type-A 802.11ac Wi-Fi Bluetooth 4.2 1 x Gigabit Ethernet Port Magic Keyboard & Magic Mouse 2 Included macOS High Sierra
Apple 15" MacBook Pro		\$250	 INCLUDES: 2.8 GHz Intel Core i7 16 GB 2133 MHz LPDDR3 RAM 1 TB SSD Drive Radeon Pro 555 2048 MB Intel HD Graphics 630 1536 MB macOS Sierra
Apple 27" LED Display		\$175	 INCLUDES: Mini DisplayPort 2560 x 1440 178°/178° Viewing Angle 375cd/m2 Brightness 1000:1 Contrast Ratio 12ms Response Time, 16.7 Million Colors 3-Port USB 2.0 Hub 2.1 Channel Speakers iSight Webcam with Microphone MagSafe Power Connector
Eizo ColorEdge CG277 27″ LCD Display		\$175	 INCLUDES: In-Plane Switching (IPS) Technology DisplayPort + HDMI + DVI-D Inputs 2560 x 1440 Native Resolution 1000:1 Contrast Ratio 300 cd/m² Brightness 178°/178° Viewing Angle

COMPUTERS



EQUIPMENT	рното	PRICE/DAY	DETAILS
Tangent Element Panels Kit	000	\$175	 INCLUDES: Tk, Mf, Kb, and Bt Panels For DaVinci Resolve / SCRATCH / and More Programmable / Reprogrammable Controls Laser Pickup Trackerballs and Rings 24+ Buttons / 12 Control Knobs Transport Buttons Such As Play / Stop Displays Label What Each Control Does Desk Footprint of Only 7.9 Inches Deep Connect Plug-and-Play by USB Cables Panels Magnetically Attach to Each Other
Apple TV 4K HDR 32GB		\$25	INCLUDES: • Apple TV 4K HDR 32GB for remote monitor- ing
Mount for Apple TV		\$5	 INCLUDES: Attaches to Flat Surface Fits 75mm VESA Mount Pattern Aluminum Construction Accommodates 2015 Apple TV
APC Back-UPS 1500	APC	\$35	 INCLUDES: LCD Status Display Hot-Swappable Battery Easy Battery Replacement Audible Alarms Data-Line Surge Protection
BiXPower 159 Watt-hour (Wh) Super High Capacity Rechargable Battery for Laptop Computers and ResMed S9 CPAP Machine CP170-S9	A Charge are a	\$75	 INCLUDES: Battery AC Charger & Cord DC Car Charger Power Output Cable 24V DC Converter for ResMed CPAP Machine 12 Interchangeable Connector Tips for Laptop Computers



EQUIPMENT	рното	PRICE/DAY	DETAILS
Profoto B1 500 Air Battery-Powered 2 Light Location Kit		\$165	INCLUDES: • 2x B1 500 AirTTL 500Ws Flash Heads • Fast Battery Charger 4.5A • Car Charger 1.8A
Profoto B1X 500 AirTTL 2-Light Location Kit		\$175	INCLUDES: • 2x B1 500 AirTTL 500Ws Flash Heads • Fast Battery Charger 4.5A • Car Charger 1.8A
Profoto A1 AirTTL-C Studio Light (Canon)		\$35	 INCLUDES: Built-In AirTTL, Use On or Off Camera Recycling: 0.05 to 1.2 Sec Li-Ion Battery: 350 Full Power Flashes High Speed Sync, LED Modeling Light 9 Stop Power Range, 76 Ws Output Weighs 1.2 lb Including Battery Optional Wireless TTL with Air Remote Includes Bounce Card, Dome Diffuser Wide Lens, Flash Stand, USB Cable A1 Bag with Shoulder Strap
Profoto Lithium-Ion Battery for B1 and B1X AirTTL Flash Heads	Profoto	\$15	 INCLUDES: 325 Full-Power Flashes Charges in 1.5 Hours with 4.5A Charger Charges in 2.5 Hours with 2.8A Charger Charge Status LEDs
Profoto Air Remote TTL-C for Canon	a arradato real contraction and array a	\$25	 INCLUDES: Manual and TTL Control of AirTTL Flashes Manual Control of Air Flashes Compatible with Canon E-TTL / E-TTL II Range: 1000' (Normal) / 330' (TTL) 8 Channels; 3 Groups



EQUIPMENT	рното	PRICE/DAY	DETAILS
Broncolor Move Outdoor 1-Head Kit 1		\$130	 INCLUDES: Move 1200 L Battery-Powered Pack MobiLED Flash Head Continuous Light Adapter Weatherproof Power Pack Soft Case Outdoor Trolley Backpack 1 x 2 x 2' Softbox High Speed Sync w/ Optional Transmitter Recycling Speed Mode: 0.02 – 0.9 Sec 2 Outlets, 9-Stop Asymmetrical Control
Broncolor Honeycomb Grid Set of 3		\$10	 INCLUDES: 3 grid set designed to fit the Broncolor P70 reflector The grids provide beam spreads of 10, 20, or 30°
Broncolor P70 Reflector, 70		\$10	 INCLUDES: Reflector designed specifically for use on Broncolor's flash heads It provides a beam spread of 70° from the point of origin, and has a diameter of 9"
Broncolor RFS 2.2 C		\$35	 INCLUDES: Combination Transmitter and Receiver 2.4GHz Frequency 99 Studio Addresses, 40 Lamp Addresses Supports High Speed Sync Range: Indoors: 98', Outdoors: 164' Integral Hot Shoe Up to 100 Releases per Second Runs on AA Batteries LCD Screen



EQUIPMENT	рното	PRICE/DAY	DETAILS
Profoto RFi Octa Softbox (4')		\$20	 INCLUDES: Reflective Silver Interior Wide Compatibility Deep Design for Greater Control Color Coded Rods for Easy Setup
Profoto OCF Beauty Dish (White, 24")		\$15	INCLUDES:For B1 and B2 OCF HeadsCollapsible and LightweightCreamy but Crisp Quality of Light
Chimera Octa 2 Collapsible Beauty Dish	0	\$25	 INCLUDES: Lightweight, Transportable Use with or without Front Screen Works with OctaPlus Speed Rings Works with Versi Octa Speed Ring
Chimera OctaPlus		\$30	 INCLUDES: Use Hot Light Up to 3200W Option to Expand to 7' OctaPlus Very Even Light Spread 0.2 F-Stop Light Fall-Off Center To Edge
Chimera Fabric Grid		\$10	 INCLUDES: Fastens to front of OctaPlus via touch-fastener strips 50° fabric grid with openings of 2"
Chimera Lighttools Fabric Egg		\$10	INCLUDES: • Collapsible, Portable • Lightweight • 50 Degree Beam Angle • Quick Hook and Loop Setup • Controls Spill Light



EQUIPMENT	рното	PRICE/DAY	DETAILS
Chimera Medium Video Pro Plus		\$20	INCLUDES: • 1 Softbox 36x48" (90 x 120cm)
Chimera Super Pro X Plus Stripbank		\$20	 INCLUDES: Softens Light from Strobe Design Limits Light Spill Narrow Light Output Removable Interior Baffle & Front Panel Requires Speed Ring for Mounting
Westcott 7' Umbrella (Silver)		\$10	INCLUDES: • Durable Fiberglass Ribs • Silver Interior • Long Throw Capability • Black Backing • Double Wall Shaft • Carrying Case
Westcott 7' Umbrella (White / Black)		\$10	 INCLUDES: Durable Fiberglass Ribs Black Backing Double Wall Shaft Carrying Case
Photek Umbrella - Softlighter II - 36″		\$30	INCLUDES: • Softbox Look, Umbrella Convenience • 8mm Removable Shaft

VIDEO ACCESSORIES



EQUIPMENT	рното	PRICE/DAY	DETAILS
DJI Ronin-MX 3-Axis Gimbal Stabilizer		\$125	 INCLUDES: A 3-Axis Handheld Gimbal Stabilizer designed to give the operator close to the freedom of unencumbered handheld shooting but without the hand-shake. Supports Cameras up to 8 Pounds Precision of Control: ±0.02° Transmitter for Remote Pan/Tilt Control Tool-Less Balance Adjustment System
DJI Ronin-S	F	\$125	 INCLUDES: Three-Axis Motorized Gimbal Stabilizer Holds DSLR or Mirrorless Cameras Eight-Pound Payload Capacity Trigger and Mode Buttons for Control Offset Roll Motor for Screen Visibility One-Handed Operation Battery Grip Lasts up to 12 Hours Camera Control via Included Cables Includes Focus Wheel Additional Functions via Android/iOS App
Glidecam HD4000		\$55	 INCLUDES: Designed for compact and full size camera weighing from 4 to 10 pounds Head Dimensions: 8.750" x 5.00" x 1.00" Base Platform Dimensions: 13.75" x 4.75" to 18.25" x 4.75" 20" tall in shortest mode 28" tall in longest mode

VIDEO ACCESSORIES



818.795.6846 redtoothimagery.com

EQUIPMENT	рното	PRICE/DAY	DETAILS
Atomos Shogun Inferno		\$150	 INCLUDES: Atomos Shogun Inferno 7" 4K HDMI/Quad 3G-SDI/12G-SDI \$150.00 1920 x 1200 on-camera recording monitor that combines 4K recording with a 10-bit FRC panel that supports native display of HDR (log) footage as well as high brightness viewing of Rec. 709 footage. It utilizes 4K HDMI and 12G-SDI inputs to support clean output signals at resolutions up to UHD 4K (3840 x 2160) at 60 fps, recording it to 2.5" SSDs using 10-bit, 4:2:2 Apple ProRes and Avid DNxHR codecs. The Inferno, unlike the similar Shogun Flame, supports Quad 3G-SDI input. It even supports DCI 4K (4096 x 2160) raw video streams over SDI from select Sony and Canon cameras, encoding it as ProRes/DNxHR files.
5.7" Full HD HDMI On-Camera Moni- tor with 4K Support and Tilt Arm		\$25	 INCLUDES: 1920 x 1080 Native Resolution HDMI 4K Input 1400:1 Contrast, 460 cd/m² Brightness Calibrated for Rec. 709 HD Color 170° Wide Viewing Angle Focus Peaking Indicators 3.5mm Stereo Headphone Jack Powered via 12 VDC Input or Battery 180° Tilt Arm with Cold Shoe

Sunshade Included



EQUIPMENT	рното	PRICE/DAY	DETAILS
Inovativ Ranger 36 Cart		\$125	 INCLUDES: Set of INOVATIV Quick Grips Set of Accessory Channel Blocks Set of Accessory Crossbars 2.5" Cable Hole Top, Rolled Front Lip on Top Shelf Foot Brake System One BOA Arm System
Inovativ Scout 36 Cart	3336	\$125	 INCLUDES: Set of INOVATIV Quick Grips Set of Accessory Crossbars Foot Brake System 6" Removable Wheels Fully Collapsible One BOA or Sidewinder arm system
Inovativ Pro ULTRA Kit	Dosystem	\$100	 INCLUDES: Tripod DigiCase Pro DigiPlate Pro DigiClamps – Laptop Universal DigiClamps – Accessory Universal DigiShade Pro or DigiShade Universal DigiMouse Pad DigiLegs DigiBase
Gitzo GT3541L Series 3 Mountaineer 6X Carbon Fiber Long Tripod Legs		\$35	INCLUDES: • Load Capacity: 46.3 lb • Max Height: 70.1" • Min Height: 6.3" • Folded Length: 23.2" • Leg Sections: 4 • Weight: 4.3 lb • Carbon eXact Tubing
Manfrotto 190go! Aluminum Tripod	Ŵ	\$15	INCLUDES: • Load Capacity: 15.4 lb • Max Height: 57.5" • Min Height: 2.75" • Folded Length: 17.7" • Leg Sections: 4 • Weight: 3.7 lb • 90° Center Column



EQUIPMENT	рното	PRICE/DAY	DETAILS
Manfrotto 468MGRC2 Hydrostatic Ball Head with RC2 Quick Release		\$20	 INCLUDES: Load Capacity: 22.1 lb Magnesium-Alloy Construction Hydrostatic Ball-and-Socket Lock Lock is Easily Tightened Ball-and-Socket Tension Control Two-Sided 90° Portrait Angle Tilt Independent 360° Rotation with Lock RC2 Quick Release Cam Lock 200PL-14 Quick Release Plate 1/4"-20 Mount, Non-Slip Surface
Manfrotto MVMXPRO500US XPRO Aluminum Video Monopod		\$35	INCLUDES: • Load Capacity: 11 lb • Max Height: 79.9" • Closed Length: 30.7" • Sections: 4 • Weight: 4.6 lb • Pan and Tilt Video Head • Full Fluid Base • Quick Power Flip Locks • D-Shaped Anti-Twist Tubes • Rubber Grip, Wrist Strap
Manfrotto 502HD Pro Video Head with Flat Base (3/8"- 16 Connection)		\$20	 INCLUDES: 15.4 lb Weight Capacity Counterbalance Supports 8.8 lb Bridging Technology Spring-Loaded Counter Balance Continuously Adjustable Pan/Tilt Drag Pan Bar & Sliding Plate Included



EQUIPMENT	РНОТО	PRICE/DAY	DETAILS
California Sunbounce 3x4	and the second	\$20	INCLUDES: • Lightweight, Modular System • Collapsible Aluminum Frame
Chimera 72x72 Pro Panel Solid Black/White Fabric		\$25	 INCLUDES: Chimera Pro Panel Fabric Kit - includes: 72x72" Aluminum Frame, White/Black, Diffusion Panels, Duffle Case 72 x 72"
Chimera 72x72 Pro Panel Frame w/ Silk Fabric		\$25	 INCLUDES: Chimera Pro Panel Fabric Kit - includes: 72x72" Aluminum Frame, Silk, Diffusion Panels, Duffle Case - 72 x 72"
Westcott 8x8' Scrim Jim Cine Kit		\$45	 INCLUDES: Bounce or Diffuse Any Light Source 8x8' 3/4-Stop Diffuser 8x8' Silver/White Bounce Fabric 8x8' Modular Anodized Aluminum Frame Locking Connectors for Extra Support Easy to Breakdown and Transport Scrim Jim Carry Case
Westcott Scrim Jim Cine 1/4-Stop Grid Cloth Diffuser Fabric (8 x 8')		\$10	 INCLUDES: Gridded 1/4-Stop Diffusion Fits 8 x 8' Scrim Jim Cine Frame Softens and Diffuses Light Hook-and-Loop Fastener Edging Nylon and Silk Fabrics
Westcott Scrim Jim Cine Full-Stop Diffuser Fabric (8 x 8′)		\$10	 INCLUDES: Plain Full-Stop Diffusion Fits 8 x 8' Scrim Jim Cine Frame Softens and Diffuses Light Hook-and-Loop Fastener Edging Nylon and Silk Fabrics



EQUIPMENT	рното	PRICE/DAY	DETAILS
Matthews RoadRags C-Vival Kit - 18x24" (45.7x61cm)	Artigentia	\$75	 INCLUDES: 2- 18x24" Frames Single, Double Scrims Artificial Silk, Black Flag RoadRags Bag 4- 2" Grip Heads, Bag 2- 20" Arms, Mini-Math Clamps 2- C+ 40" Riser Century Stands Wheeled Case
Matthews 40" C-Stand with Spring-Loaded Base, Grip Head, & Arm Kit (10.5', Silver)		\$10	 INCLUDES: Maximum Height: 126" Minimum Height: 53" 40" Grip Arm with Attached 2.5" Head Unique Staggered Leg Design
Matthews C-Stand Rolling KitBag for 3 Stands (Black)		\$45	 INCLUDES: Holds 3 Removable Base C-Stands & More Protective Internal Divider Padded Bag with Dual-Zipper Closure Touch-Fastening Straps Secure Stands Padded, Touch-Fastening Dividers Business Card Name Tag Holder Side & Top/Bottom Handles, Wheels, Feet Red, High-Visibility Interior Lining ABS Honeycomb & EVA Foam Padding 900D Polyester & Ballistic Nylon
Matthews Mini Matth Boom - Black		\$10	INCLUDES: • Matthews Mini Matth Boom



818.795.6846 redtoothimagery.com

EQUIPMENT	рното	PRICE/DAY	DETAILS
25 LBS Matthews Water Repellant Sandbag - Orange		\$5	INCLUDES:25 LBS Matthews Water Repellant Sandbag - Orange
20 LBS Shot Bags		\$2	INCLUDES: • 20 LBS Shot Bags

EQUIPMENT RENTAL

22



EQUIPMENT	рното	PRICE/DAY	DETAILS
Aero utility tray with arm		\$10	 INCLUDES: Aluminum Alloy Construction 11.5 x 8" Tray Integrated LAJO-4 Bracket 7" Arm with Dual 5/8" Stud
Tether table Aero		\$25	INCLUDES: • Baby pin • Tripod mount
Case Air Wireless Tethering System		\$55	 INCLUDES: The Case Air Wireless Tethering System connects and transfers images instantly from your camera to a phone, tablet or computer Case Air lets you control advanced camera settings including focus points, exposure settings, bracketing, timelapse, HDR and more View your images on a larger screen to check critical focus and composition, or use Live View or movie mode for real-time capture
CamRanger Wireless Transmitter for Select Canon and Nikon DSLR Cameras	(— CamRanger »))	\$35	 INCLUDES: Control DSLR Remotely via iOS Device Photo/Video Capture, Live View, HDR Intervalometer, Bulb, Focus Stacking Control Shutter Speed, Aperture, WB, ISO Metering, Drive/Shooting Mode, and More Creates Ad Hoc Wi-Fi Network Effective Range: 150' Compatible with iOS 4.3 or Later USB and Ethernet Cables Supplied Rechargeable Li-Ion Battery Included



EQUIPMENT	рното	PRICE/DAY	DETAILS
TetherPro USB-C to 3.0 Micro-B Right Angle		\$10	 INCLUDES: Tether Your Camera to Your Laptop USB Type-C Micro-USB 3.0 Type B 15' Long 5 Gb/s Transfer Rate Fully Shielded and Plated
TetherPro USB-3.0 to 3.0 Micro-B Right Angle		\$10	 INCLUDES: USB Type-A Male to Micro-B 10-Pin Male 15' USB 3.0 Cable with Right Angled Design Data Transfer Rate of up to 5 Gb/s
TetherPro USB-2.0 to mini B-5 pin		\$10	INCLUDES: • USB 2.0 Type-A, Male • Mini-B 8-Pin, Male • Data Transfer Rate of up to 480 Mbps
TetherPro USB-3.0 to 3.0 to USB female extension		\$10	INCLUDES:TetherPro USB 3.0 to Female Active Extension cable (16ft/5m)



EQUIPMENT	рното	PRICE/DAY	DETAILS
Rock Solid EasyGrip ST		\$10	INCLUDES: • EasyGrip clamp
Rock Solid Spring VersaClamp (2)		\$10	 INCLUDES: Clamp and Grip Tool Jaw Width 1.5" Maximum Load Capacity: 2.5 lb All Metal Construction
Rock Solid Aero Elbow		\$10	 INCLUDES: Load Capacity: 80 lb Tilts 180° & Rotates 360° TruVu Locking Technology 5/8" Baby Stud for Mounting Items 5/8" Baby Socket & 1 1/8" Junior Stud Aluminum Construction
Rock Solid Aero PowerMount (2)		\$5	 INCLUDES: Universal mount to nearly any power strip or surge protector Female 1/4"-20 thread and 5/8" baby stud for easy mounting Attaches via the Rock Solid Master Clamp, sold separately All-metal construction
Rock Solid Vesa iMac Direct Adapter		\$15	 INCLUDES: Easily Mount Your iMac Desktop Supports the 100x100mm VESA Standard Brushed Aluminum Finish



EQUIPMENT	рното	PRICE/DAY	DETAILS
Rock Solid Master Clamp (2)		\$5	 INCLUDES: Rock Solid Master Clamp 5/8" Baby Stud with 1/4"-20 Male Thread Flat Mount Wedge Insert
StrapMoore (2)	TETHER TODIS	\$5	 INCLUDES: Adjustable to any pole or beam from 0.5" to 3" in diameter Secure any object from 1/4" to 3.5" in diameter Industrial GripperElastic[®] lining to ensures item security and prevents sliding Max weight capacity: 2lbs Product weight: 0.15lbs When not in use, leave the StrapMoore on the stand, on the object or remove entirely
Aero Tab L4 Tablet Mounting System		\$20	 INCLUDES: AeroTab Universal Tablet Mounting System Small 2 Mount Rock Solid EasyGrip – grips flat or round surface from 0" to 1.5"
Rock Solid Vesa Monitor Mount for Stands		\$20	 INCLUDES: Rock Solid VESA Studio Monitor Mount for Stands 4 Mounting Screws – Phillips head
Rock Solid Low Boy Roller	The second secon	\$20	 INCLUDES: Smooth rolling wheels make this stand studio mobile Low to high adjustment allows for waist level to overhead support Foldable legs for quick and easy storage and transportation Stable and sturdy base provides assured mounting of Tether tables, monitors, lights, and other gear